

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS DOMINATOR 106</b>		
<b>Blower Motor</b> -Double Shaft, 2 Wire Condenser	177.452.0	73R4532
	176.647.0	BM0368
<b>Compressor</b> -New CCI York, RH Suction, Rotolock	621.029.0	7054
<b>Condenser</b>	621.106.0	AC001055
<b>Expansion Valve</b> -O'Ring	176.713.0	38877
<b>Receiver Drier</b> -O'Ring	176.660.0	26827
<b>Switch</b> -High Pressure Thermostat, Lever Type	177.541.0	71R6140
	177.537.0	71R2600
<b>CLAAS DOMINATOR 108</b>		
<b>Clutch</b> -7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
<b>Compressor</b> -New CCI York RH Suction, Rotolock	621.029.0	7054
<b>Evaporator</b>	622.836.1	EV902900
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1	EX03747
	625.854.0	
<b>Receiver Drier</b> -O'Ring	622.848.0	RD03349
	625.856.0	
<b>Switch</b> -High Pressure	622.856.0	26535
<b>CLAAS DOMINATOR 116</b>		
<b>Blower Motor</b> -Double Shaft, 2 Wire Condenser	177.452.0	73R4532
	176.647.0	BM0368
<b>Clutch</b> -7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
<b>Compressor</b> -New CCI York, RH Suction, Rotolock	621.029.0	7054
<b>Condenser</b>	621.106.0	AC001055
<b>Expansion Valve</b> -O'Ring	176.713.0	38877
<b>Receiver Drier</b> -O'Ring	176.660.0	26827
<b>Switch</b> -High Pressure Thermostat, Lever Type	177.541.0	71R6140
	177.537.0	71R2600
<b>CLAAS DOMINATOR 56</b>		
<b>Blower Motor</b> -Double Shaft, 2 Wire Condenser	177.452.0	73R4532
	176.647.0	BM0368
<b>Clutch</b> -7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
<b>Compressor</b> -New CCI York, RH Suction, Rotolock	621.029.0	7054
<b>Condenser</b>	621.106.0	AC001055
<b>Expansion Valve</b> -O'Ring	176.713.0	38877
<b>Receiver Drier</b> -O'Ring	176.660.0	26827
<b>Switch</b> -High Pressure Thermostat, Lever Type	177.541.0	71R6140
	177.537.0	71R2600
<b>CLAAS DOMINATOR 58</b>		
<b>Clutch</b> -7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
<b>Compressor</b> -New CCI York RH Suction, Rotolock	621.029.0	7054
<b>Evaporator</b>	622.836.1	EV902900

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS DOMINATOR 58 CONT.</b>		
Expansion Valve-Block Type, Threaded	625.838.1 625.854.0	EX03747
Receiver Drier-O'Ring	622.848.0 625.856.0	RD03349
Switch-High Pressure	622.856.0	26535
<b>CLAAS DOMINATOR 66</b>		
Blower Motor-Double Shaft, 2 Wire Condenser	177.452.0 176.647.0	73R4532 BM0368
Clutch-7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Condenser	621.106.0	AC001055
Expansion Valve-O'Ring	176.713.0	38877
Receiver Drier-O'Ring	176.660.0	26827
Switch-High Pressure Thermostat, Lever Type	177.541.0 177.537.0	71R6140 71R2600
<b>CLAAS DOMINATOR 68</b>		
Clutch-7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Evaporator	622.836.1	EV902900
Expansion Valve-Block Type, Threaded	625.838.1 625.854.0	EX03747
Receiver Drier-O'Ring	622.848.0 625.856.0	RD03349
Switch-High Pressure	622.856.0	26535
<b>CLAAS DOMINATOR 76</b>		
Blower Motor-Double Shaft, 2 Wire Condenser	177.452.0 176.647.0	73R4532 BM0368
Clutch-7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Condenser	621.106.0	AC001055
Expansion Valve-O'Ring	176.713.0	38877
Receiver Drier-O'Ring	176.660.0	26827
Switch-High Pressure Thermostat, Lever Type	177.541.0 177.537.0	71R6140 71R2600
<b>CLAAS DOMINATOR 78</b>		
Clutch-7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Evaporator	622.836.1	EV902900
Expansion Valve-Block Type, Threaded	625.838.1 625.854.0	EX03747
Receiver Drier-O'Ring	622.848.0 625.856.0	RD03349

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS DOMINATOR 78 CONT.</b>		
Switch-High Pressure	622.856.0	26535
<b>CLAAS DOMINATOR 86</b>		
Blower Motor-Double Shaft, 2 Wire Condenser	177.452.0	73R4532
	176.647.0	BM0368
Clutch-7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Condenser	621.106.0	AC001055
Expansion Valve-O'Ring	176.713.0	38877
Receiver Drier-O'Ring	176.660.0	26827
Switch-High Pressure Thermostat, Lever Type	177.541.0	71R6140
	177.537.0	71R2600
<b>CLAAS DOMINATOR 88</b>		
Clutch-7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Evaporator	622.836.1	EV902900
Expansion Valve-Block Type, Threaded	625.838.1	EX03747
	625.854.0	
Receiver Drier-O'Ring	622.848.0	RD03349
	625.856.0	
Switch-High Pressure	622.856.0	26535
<b>CLAAS DOMINATOR 96</b>		
Blower Motor-Double Shaft, 2 Wire Condenser	177.452.0	73R4532
	176.647.0	BM0368
Clutch-7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Condenser	621.106.0	AC001055
Expansion Valve-O'Ring	176.713.0	38877
Receiver Drier-O'Ring	176.660.0	26827
Switch-High Pressure Thermostat, Lever Type	177.541.0	71R6140
	177.537.0	71R2600
<b>CLAAS DOMINATOR 98</b>		
Clutch-7" Dia., 2 Groove	621.028.1	75R4502
	622.877.1	
Compressor-New CCI York, RH Suction, Rotolock	621.029.0	7054
Evaporator	622.836.1	EV902900
Expansion Valve-Block Type, Threaded	625.838.1	EX03747
	625.854.0	
Receiver Drier-O'Ring	622.848.0	RD03349
	625.856.0	
Switch-High Pressure	622.856.0	26535

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS LEXION 420</b>		
<b>Clutch</b> -York 7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove Clutch (Models with C12 Cat Engine)	796.346.0	4498
<b>Condenser</b>	077.983.2	AC002100
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 430</b>		
<b>Clutch</b> -York 7" 2 Groove	621.028.1 622.877.1	75R4502
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove Clutch (Models with C12 Cat Engine)	796.346.0	4498
<b>Condenser</b>	077.983.2	AC002100
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 432</b>		
<b>Compressor</b> -New Sanden SD7H15 (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 434</b>		
<b>Compressor</b> -New Sanden SD7H15 (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 440</b>		
<b>Clutch</b> -York 7" Dia., 2 Groove	621.028.1 622.877.1	75R4502

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS LEXION 440 CONT.</b>		
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove Clutch (Models with C12 Cat Engine)	796.346.0	4498
<b>Condenser</b>	077.983.2	AC002100
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 442</b>		
<b>Compressor</b> -New Sanden SD7H15 (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 450</b>		
<b>Clutch</b> -York 7" Dia., 2 Groove	621.028.1 622.877.1	75R4502
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Condenser</b>	077.983.2	AC002100
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 452</b>		
<b>Compressor</b> -New Sanden SD7H15 (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 460</b>		
<b>Clutch</b> -York 7" 2 Groove	621.028.1 622.877.1	75R4502

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS LEXION 460 CONT.</b>		
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 480</b>		
<b>Clutch</b> -York 7" 2 Groove	621.028.1 622.877.1	75R4502
<b>Compressor</b> -New York, RH Suction Tube O	625.999.0 077.988.0	7040
New Sanden SD7H15, 6" Dia., 2 Groove	625.994.0	7975
New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Expansion Valve</b> -Block Type, Threaded	625.838.1 625.854.0	EX03747
Block Type, Flanged	625.864.0	EX03738
<b>Receiver Drier</b> -O'Ring	625.856.0	RD03349
O'Ring	546.126.0 069.515.0	RD033491
<b>Switch</b> -Thermostat	625.745.0	26300
<b>CLAAS LEXION 482</b>		
<b>Compressor</b> -New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 510</b>		
<b>Compressor</b> -New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 520</b>		
<b>Compressor</b> -New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905
<b>Receiver Drier</b>	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 530</b>		
<b>Compressor</b> -New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
<b>Evaporator</b>	625.862.0	EV902905

<b>CLAAS COMBINE</b>	<b>OEM</b>	<b>PART #</b>
<b>CLAAS LEXION 530 CONT.</b>		
Receiver Drier	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 550</b>		
Compressor-New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
Evaporator	625.862.0	EV902905
Receiver Drier	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 560</b>		
Compressor-New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
Evaporator	625.862.0	EV902905
Receiver Drier	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 570</b>		
Compressor-New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
Evaporator	625.862.0	EV902905
Receiver Drier	546.126.0 069.515.0	RD033491
<b>CLAAS LEXION 580</b>		
Compressor-New Sanden SD7H15, 5 1/4", 8 Groove (Models with C12 Cat Engine)	796.346.0	4498
7SBU16C Denso (Models with Mercedes Engine)	743.645.2	CO03290
Evaporator	625.862.0	EV902905
Receiver Drier	546.126.0 069.515.0	RD033491